

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	2	("6526402").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/28 09:51
L6	15	("5121475" "5159552" "5555354" "5715444" "6006225" "6038668" "6173422" "6292794" "6324534" "6345322" "6353822" "6377945" "6381607").PN. OR ("6526402"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/28 09:52
L7	13	6 and (@AD<"20020115" or @RLAD<"20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 10:11
L8	1	7 and invalid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 10:12
L9	3	7 and valid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 10:12
L10	170	("not" adj3 valid or "out of date" or invalid or non-exist\$3 or "not existed") near10 (URL or resource adj2 locator or URI or RL) and (@AD<"20020115" or @RLAD<"20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 10:16
L11	1226	(unknown or unavailable or recogniz\$4 or unrecogniz\$4 or invalid) with (URL or resource adj2 locator or URI) and (@AD<"20020115" or @RLAD<"20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 10:15
L12	1472	(unknown or unavailable or recogniz\$4 or unrecogniz\$4 or invalid or incorrect or error or wrong) near10 (URL or resource adj2 locator or URI) and (@AD<"20020115" or @RLAD<"20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 12:26

L13	1487	(10 or 12)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 10:16
L14	9	13 and (solicit\$3 or solicitation or prompt\$3 or provid\$3 or display\$3) with (input\$4 or enter\$3) near10 search adj5 (key or term or keyword)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 10:18
L15	0	("if" or "when") adj5 (URL or resource adj2 locator or URI) adj5 (unknown or unavailable or recogniz\$4 or unrecogniz\$4 or invalid or incorrect or error or wrong) with search and (@AD<"20020115" or @RLAD<"20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 10:40
L16	22	(URL or resource adj2 locator or URI) adj5 (unknown or unavailable or recogniz\$4 or unrecogniz\$4 or invalid or incorrect or error or wrong) with search and (@AD<"20020115" or @RLAD<"20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 11:54
L17	5	(domain adj name) adj5 (unknown or unavailable or recogniz\$4 or unrecogniz\$4 or invalid or incorrect or error or wrong) with search and (@AD<"20020115" or @RLAD<"20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 11:54
L18	5	(solicit\$3 or solicitation or prompt\$3 or provid\$3 or display\$3) near10 search with (unknown or unavailable or recogniz\$4 or unrecogniz\$4 or invalid or incorrect or error or wrong) near10 (URL or resource adj2 locator or URI) and (@AD<"20020115" or @RLAD<"20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 13:52
L19	0	(solicit\$3 or solicitation or prompt\$3 or provid\$3 or display\$3) near10 search with (unknown or unavailable or recogniz\$4 or unrecogniz\$4 or invalid or incorrect or error or wrong) near10 (domain adj name) and (@AD<"20020115" or @RLAD<"20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 12:33

L20	0	(apply\$3) near10 search with (unknown or unavailable or recogniz\$4 or unrecogniz\$4 or invalid or incorrect or error or wrong) near10 (URL or resource adj2 locator or URI or domain adj name) and (@AD<"20020115" or @RLAD<"20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 13:53
L21	3	(query) near10 search with (unknown or unavailable or recogniz\$4 or unrecogniz\$4 or invalid or incorrect or error or wrong) near10 (URL or resource adj2 locator or URI or domain adj name) and (@AD<"20020115" or @RLAD<"20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/28 13:53